

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L4 | 407 | ((key near2 generat\$4) same (device adj2 (id or identification or serial))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 16:00 |
| L5 | 1108 | ((stor\$4 near2 key) with (volatile)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 16:00 |
| L6 | 18 | L4 and L5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 16:00 |
| L7 | 5 | L6 and print\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 16:05 |
| L8 | 1 | ("5805706").PN. | US-PGPUB; USPAT | OR | OFF | 2006/11/15 16:05 |
| L9 | 13 | (receiv\$4 with ((public adj2 key) adj2 "encrypted data")) and @ad<"20030301" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 16:23 |
| L10 | 13 | (receiv\$4 with ((asymmetric or (public adj2 key)) adj2 "encrypted data")) and @ad<"20030301" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 16:21 |
| L12 | 5 | (re\$1encrypt same (asymmetric and symmetric)) and @ad<"20030301" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 18:25 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| L13 | 17 | (re\$1encrypt\$4 same (asymmetric and symmetric)) and @ad<"20030301" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 16:25 |
| S1 | 1 | ("5850706").PN. | US-PGPUB; USPAT | OR | OFF | 2006/11/10 10:12 |
| S2 | 1 | ("5805706").PN. | US-PGPUB; USPAT | OR | OFF | 2006/11/10 10:14 |
| S3 | 1 | ("7093295").PN. | US-PGPUB; USPAT | OR | OFF | 2006/11/10 10:15 |
| S4 | 1 | 10/653216 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/14 08:28 |
| S5 | 32 | "5805706" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/14 09:52 |
| S6 | 5 | ((("5805706") or ("20020174351") or ("7093295") or ("6378072") or ("6078983")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/11/14 10:27 |
| S7 | 4 | S6 and (public adj2 key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 07:41 |
| S8 | 1 | ("5646999").PN. | US-PGPUB; USPAT | OR | OFF | 2006/11/14 08:53 |
| S9 | 385 | 380/43.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/14 09:52 |
| S10 | 1565 | 713/193.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/14 09:52 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S12 | 12 | (S9 or S10) and (decrypt\$4 with (private adj2 key)) same (re\$1encrypt\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/14 09:54 |
| S13 | 51 | (key with (no near2 expir\$7)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/14 10:27 |
| S14 | 93 | (key with ((no or without) near2 expir\$7)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/14 10:28 |
| S15 | 5 | (key adj2 ((no or "without") adj2 (expiration adj2 date))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/14 10:33 |
| S17 | 91 | (generat\$4 with (key adj2 (device adj2 (id or identification or serial)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 07:27 |
| S18 | 45 | (generat\$4 with (key adj2 (device adj2 (id or identification or serial)))) and @ad<"20030301" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 07:29 |
| S20 | 407 | ((key near2 generat\$4)) same (device adj2 (id or identification or serial)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 07:58 |
| S22 | 17 | ((key near2 generat\$4)) same (device adj2 (id or identification or serial)) same (power or start or "turned on") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 07:57 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S23 | 12 | ((key near2 generat\$4)) same (device adj2 (id or identification or serial)) same (power or start or "turned on") and @ad<"20030303" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 07:54 |
| S24 | 51 | ((key near2 generat\$4)) same ("power on" or "start up" or "turned on") and @ad<"20030303" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 08:00 |
| S25 | 7 | ((key near2 generat\$4)) same ((when or during or at) with ("power on" or "start up" or "turned on")) and @ad<"20030303" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 07:55 |
| S28 | 2518 | ((stor\$4 near2 key) with (volatile or ram)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 09:05 |
| S29 | 36 | S20 and S28 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 09:05 |
| S31 | 1108 | ((stor\$4 near2 key) with (volatile)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 09:05 |
| S32 | 18 | S20 and S31 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 16:00 |
| S33 | 3 | 08/536749 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 09:10 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S36 | 29 | (receiv\$4 with ((public adj2 key) adj2 "encrypted data")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 16:17 |
| S37 | 2 | (receiv\$4 with ((public adj2 key) adj2 "encrypted data")) and (re\$1encrypt) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 09:54 |
| S38 | 4 | S20 and S31 and (key near2 length) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 10:54 |
| S39 | 1 | ("6727920").PN. | US-PGPUB; USPAT | OR | OFF | 2006/11/15 10:54 |
| S40 | 3 | (S36 and re\$1encrypt\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/15 11:03 |